

SAFETY DATA SHEET

Print date: 04/21/2016 **Revision Date:** 04/21/2016 **Revision Number:** 1.01

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: SynDeck® Epoxy Combo Grout Part A Sand and Resin SA1241 - Blue-Black Fine

Product code: SA1241BBF

Other means of identification

Synonyms No information available

Application

Recommended Use Flooring Topcoat 2 part **Uses advised against** For industrial use only

Supplier/Manufacturer:

Supplier:

EPMAR Corporation 13240 E. Barton Circle Whittier, CA 90605-3254

Phone: 562-946-8781 FAX: 562-944-9958

E-mail: she@quakerchem.com (For Health and Safety Questions) Emergency telephone number:

* 24 HOUR TRANSPORTATION: **CHEMTREC: 1-800-424-9300

+703-527-3887 (Call collect outside of US)
* 24 HOUR EMERGENCY HEALTH & SAFETY:

**(800) 523-7010 (Within US only) Outside of US call (703)

527-3887

2. HAZARDS IDENTIFICATION

Classification

SA1241BBF - SynDeck® Epoxy Combo Grout Part A Sand and Resin SA1241 - Blue-Black Fine 1/11

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1
Germ cell mutagenicity	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2
Chronic aquatic toxicity	Category 2

Label Elements

Emergency Overview

DANGER

Hazard Statements

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

suspected of causing genetic defects

May damage fertility or the unborn child

May cause damage to organs through prolonged or repeated exposure

Toxic to aquatic life with long lasting effects



Appearance Opaque Dark blue

Physical State Paste

Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Avoid release to the environment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see First Aid on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

SA1241BBF - SynDeck® Epoxy Combo Grout Part A Sand and Resin SA1241 - Blue-Black Fine 2/11

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Collect spillage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

Harmful to aquatic life.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No	Weight %
Crystalline silica (quartz) with particles >20 µm	14808-60-7	80 - 90%
Diglycidyl Ether of Bisphenol A	25068-38-6	10 - 15%
Oxirane,((2-methylphenoxy)methyl)-	2210-79-9	1 - 5%

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance Wash off with soap and water.

Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

If symptoms persist, call a physician

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

Skin contact: Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

Wash off immediately with soap and plenty of water.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting without medical advice. Never give anything by mouth to an

Revision Date: 04/21/2016

unconscious person

Inhalation: Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

artificial respiration If breathing is difficult, give oxygen Consult a physician.

Note to physician: Treat symptomatically.

Medical condition Dermatitis. Lung diseases.

aggravated by exposure:

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or `alcohol` foam.

Specific hazards: Do not allow material to contaminate ground water system.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear

Specific methods: Water mist may be used to cool closed containers

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Do not breathe vapour/dust. Wash thoroughly after handling.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical

Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:

Safe handling advice: Do not breathe vapors or spray mist. In case of insufficient ventilation, wear suitable

respiratory equipment. Wear personal protective equipment. Avoid contact with skin

and eyes. Wash thoroughly after handling.

Storage

Technical measures/storage

conditions:

Store at room temperature in the original container.

Incompatible products: See Section 10, Materials to avoid.

Safe storage temperature: 50 - 100 °F

Shelf life: 2 years

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Crystalline silica (quartz) with particles	0.025 mg/m³ (TWA)	None	0.05 mg/m ³ (TWA)

.....

>20 µm			
aluminium oxide	1 mg/m³ (TWA)	15 mg/m ³	None
		5 mg/m³	

Engineering measures: Ensure adequate ventilation

Personal Protective Equipment:

General: Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, a NIOSH-certified respirator with organic

vapor/P100 filter should be worn.

Eye protection: Safety glasses with side-shields

Hand protection: Impervious butyl rubber gloves, Neoprene gloves

Skin and body protection: Long sleeved clothing

Hygiene measures: Avoid contact with skin, eyes and clothing.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Paste

Appearance Opaque Dark blue

Odor Mild

Odor Threshold No information available

pH concentrate: No information available

pH DilutionNo information available

Melting/freezing point

No information available

Boiling Point/Range No information available

Flash Point $> 99 \, ^{\circ}\text{C} \, / > 210 \, ^{\circ}\text{F}$

Method Tag closed cup

Evaporation rateNo information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

VOC Content Product (lb/gal) 0.01

VOC Content Product (g/L) 0.99

VOC less water and exempt (lb/gal) 0.01

VOC less water and exempt (g/L) 0.99

HAP Content Product (g/L):

HAP Content Product (lb/gal) 0

Solids (% w/w): 99.95

Solids (% v/v): 99.74

Vapor pressure No information available

Vapor density No information available

Specific Gravity (g/cc, 15 C) No information available

Density @ 25 ° C. (g/cc): 2.168

Bulk Density @ 77° F. (lb/gal): 18.09

Water Solubility Insoluble

Solubility in other solvents No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

Decomposition TemperatureNo information available

Kinematic viscosity

No information available

Dynamic viscosityNo information available

Molecular Weight No information available

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: None known.

Materials to avoid: Strong acids and oxidising agents. Strong bases. Reaction with some curing agents

may produce considerable heat and possible violent decomposition.

Revision Date: 04/21/2016

Hazardous decomposition products: Carbon oxides. Thermal decomposition can lead to release of irritating gases and

vapours.

Hazardous Polymerization: Stable at normal conditions.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye Contact Irritating to eyes.

Skin Contact Irritating to skin. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (quartz) with particles	= 500 mg/kg (Rat)	-	-
>20 µm	Oral LD50 Rat 500 mg/kg		
	(Source: IUCLID)		
Diglycidyl Ether of Bisphenol A	= 11400 mg/kg (Rat)	-	-
	Oral LD50 Rat 11400		
	mg/kg (Source: NLM_CIP)		
Oxirane,((2-methylphenoxy)methyl)-	= 4 g/kg (Rat)	-	= 6090 mg/m ³ (Rat) 4
	Oral LD50 Rat 4 g/kg		h
	(Source: NLM_CIP)		Inhalation LC50 Rat
			6090 mg/m ³ 4 h
			(Source: NLM_CIP)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

CarcinogenicityThe particle size of the material containing Crystalline Silica is in the range of 54

microns to .4 mm. Inhalation of crystalline silica is unlikely to occur from exposure to

this product.

Components	IARC Carcinogens	NTP	OSHA -
			Select Carcinogens
Crystalline silica (quartz) with particles >20 µm	Group 1	Known Carcinogen	Present
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed
Oxirane,((2-methylphenoxy)methyl)-	Not listed	Not listed	Not listed

Sensitization Product contains a component that is classified as a skin sensitizer. No studies have

been conducted on the product itself.

Mutagenic effects: Product contains a component that is classified as a mutagen. No testing has been

conducted on the product itself.

Reproductive Toxicity Product contains a component that is classified as a reproductive hazard. No testing

has been conducted on the product itself.

SA1241BBF - SynDeck® Epoxy Combo Grout Part A Sand and Resin SA1241 - Blue-Black Fine **Developmental Toxicity**No information available.

Teratogenic No information available.

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic toxicity (repeated exposure)

Causes damage to organs through prolonged or repeated exposure in contact with

skin.

Aspiration hazard No information available.

Additional information on toxicological effects

No information available

12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species	Ecotoxicity - Freshwater	Ecotoxicity - Water Flea
	Data:	Algae Data:	Data:
Crystalline silica (quartz) with particles >20 µm	No data	No data	No data
Diglycidyl Ether of Bisphenol A	No data	No data	No data
Oxirane,((2-methylphenoxy)methyl)-	No data	No data	No data

84.06402% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

Bioaccumulation No information available.

Components	Octanol/water partition coefficient
Crystalline silica (quartz) with particles >20 µm	-
Diglycidyl Ether of Bisphenol A	-
Oxirane,((2-methylphenoxy)methyl)-	-

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused

products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

SA1241BBF - SynDeck® Epoxy Combo Grout Part A Sand and Resin SA1241 - Blue-Black Fine 8/11

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name: Not Regulated

TDG (CANADA):

UN nr: UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Diglycidyl

Ether of Bisphenol A)

TDG Hazard Classification: 9
Packing group: |||

IMDG/IMO:

UN nr: UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Diglycidyl

Ether of Bisphenol A)

Class: 9
Packing group: III
Limited quantity: 1 L

IATA/ICAO:

UN nr: UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Diglycidyl

Ether of Bisphenol A)

Hazard Class: 9
Packing group: III
Maximum quantity for cargo only: 450 L
Maximum quantity for passenger: 450 L
Limited quantity: 30 kg

15. REGULATORY INFORMATION

Federal Regulations

Standard:

OSHA Hazard Communication This p

This product is considered to be hazardous under the OSHA Hazard Communication

Standard.

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute):YesDelayed Health (Chronic):YesFlammability:NoPressure:No

SA1241BBF - SynDeck® Epoxy Combo Grout Part A Sand and Resin SA1241 - Blue-Black Fine Reactivity: No

Components	Hazardous Substances	Extremely Hazardous	SARA 313 Emission
	and RQs	Substances and TPQs	Reporting
Crystalline silica (quartz) with particles >20 µm	Not listed	Not listed	Not listed
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed
Oxirane,((2-methylphenoxy)methyl)-	Not listed	Not listed	Not listed

Clean Air and Clean Water Acts:

Components	Hazardous Air	CWA - Hazardous	CWA - Toxic	CWA - Priority
	Pollutants	Substances	Pollutants	Pollutants
Crystalline silica (quartz) with particles >20 µm	Not listed	Not listed	Not listed	Not listed
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed	Not listed
Oxirane,((2-methylphenoxy)methyl)-	Not listed	Not listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

Components	California	PARTK	MI Critical	NJRTK	MARTK
	Proposition 65		Materials		
Crystalline silica (quartz)	carcinogen	Present	Not Listed	1660	Carcinogen
with particles >20 µm					Extraordinarily
					hazardous
Diglycidyl Ether of	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Bisphenol A					
Oxirane,((2-methylphen	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
oxy)methyl)-					

California Proposition 65 Status: May contain trace amounts of listed chemicals: ethylbenzene.

RCRA Status: Not regulated

CANADIAN REGULATIONS:

Components	CEPA Schedule I	Challenge Substances
Crystalline silica (quartz) with particles	Not listed	Listed
>20 µm		
Diglycidyl Ether of Bisphenol A	Not listed	Not listed
Oxirane,((2-methylphenoxy)methyl)-	Not listed	Not listed

INVENTORY STATUS:

United States TSCA Inventory: This product complies with TSCA

Canada DSL/NDSL Inventory List Compliance has not been determined

16. OTHER INFORMATION

SA1241BBF - SynDeck® Epoxy Combo Grout Part A Sand and Resin SA1241 - Blue-Black Fine **Sources of key data used to compile** Material safety data sheets of the ingredients. **the data sheet:**

Prepared by: Safety, Health and Environmental Department

Revision Date: 04/21/2016 **Reason for revision:** Name change.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet