

SAFETY DATA SHEET

Print date: 04/21/2016

Revision Date: 04/21/2016

Revision Number: 1.01

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: SynDeck® Epoxy Combo Grout Part A Sand and Resin SA1241 - Red Fine

Product code: SA1241RF

Other means of identification

Synonyms No information available

Application

Recommended Use Flooring Topcoat 2 part
Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:
EPMAR Corporation
13240 E. Barton Circle
Whittier, CA 90605-3254
Phone: 562-946-8781
FAX: 562-944-9958
E-mail: she@quakerchem.com
(For Health and Safety Questions)

Emergency telephone number:

* 24 HOUR TRANSPORTATION:
**CHEMTREC: 1-800-424-9300
+703-527-3887 (Call collect outside of US)
* 24 HOUR EMERGENCY HEALTH & SAFETY:
**(800) 523-7010 (Within US only) Outside of US call (703)
527-3887

2. HAZARDS IDENTIFICATION

Classification

SA1241RF - SynDeck® Epoxy
Combo Grout Part A Sand and Resin
SA1241 - Red Fine

1 / 11

Revision Date: 04/21/2016


OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1
Germ cell mutagenicity	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2
Chronic aquatic toxicity	Category 2

Label Elements

Emergency Overview

DANGER		
Hazard Statements Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction suspected of causing genetic defects May damage fertility or the unborn child May cause damage to organs through prolonged or repeated exposure Toxic to aquatic life with long lasting effects		
		
Appearance Opaque Red	Physical State Paste	Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
wear protective gloves
Do not breathe dust/fume/gas/mist/vapors/spray
Avoid release to the environment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
Specific treatment (see First Aid on this label)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention
Collect spillage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

Toxic to aquatic life.

Unknown acute toxicity

2.99% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No	Weight %
Crystalline silica (quartz) with particles >20 µm	14808-60-7	70 - 80%
Diglycidyl Ether of Bisphenol A	25068-38-6	10 - 15%
Oxirane,((2-methylphenoxy)methyl)-	2210-79-9	1 - 5%
Umber	12713-03-0	1 - 5%

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice:

Show this safety data sheet to the doctor in attendance Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and water. Consult a physician. If symptoms persist, call a physician

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

Skin contact:

Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use.

Ingestion:

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person

Inhalation:

Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give oxygen If not breathing, give artificial respiration Consult a physician.

Note to physician:

Treat symptomatically.

Medical condition

None known.

aggravated by exposure:

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Use dry chemical, CO2, water spray or `alcohol` foam.
Specific hazards:	Do not allow material to contaminate ground water system.
Special protective equipment for fire-fighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Specific methods:	Water mist may be used to cool closed containers

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.
Environmental precautions:	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.
Methods for cleaning up:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical measures/precautions:	Provide sufficient air exchange and/or exhaust in work rooms.
Safe handling advice:	In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly after handling.

Storage

Technical measures/storage conditions:	Store at room temperature in the original container.
Incompatible products:	Strong oxidizing agents
Safe storage temperature:	50 - 100 °F
Shelf life:	12 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Crystalline silica (quartz) with particles >20 µm	0.025 mg/m ³ (TWA)	None	0.05 mg/m ³ (TWA)
Umber	None	None	1 mg/m ³ (TWA)
aluminium oxide	1 mg/m ³ (TWA)	15 mg/m ³ 5 mg/m ³	None
Iron oxide	5 mg/m ³ (TWA)	10 mg/m ³ 15 mg/m ³ 5 mg/m ³	5 mg/m ³ (TWA)
Manganese trioxide	0.02 mg/m ³ (TWA) 0.1 mg/m ³ (TWA)	None	1 mg/m ³ (TWA)
Manganese	0.02 mg/m ³ (TWA) 0.1 mg/m ³ (TWA)	None	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)

Engineering measures: Ensure adequate ventilation

Personal Protective Equipment:

General: Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH-certified respirator with organic vapor/P100 filter should be worn.

Eye protection: Safety glasses with side-shields

Hand protection: Neoprene gloves

Skin and body protection: Long sleeved clothing

Hygiene measures: Avoid contact with skin, eyes and clothing.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Paste
Appearance	Opaque Red
Odor	Mild
Odor Threshold	No information available
pH concentrate:	No information available
pH Dilution	No information available

Melting/freezing point	No information available
Boiling Point/Range	No information available
Flash Point	> 93.33 °C / > 200 °F
Method	Tag closed cup
Evaporation rate	No information available
Flammability Limits in Air	
upper flammability limit	No information available
lower flammability limit	No information available
VOC Content Product (lb/gal)	0
VOC Content Product (g/L)	0
VOC less water and exempt (lb/gal)	0
VOC less water and exempt (g/L)	0
Solids (% w/w):	100
Solids (% v/v):	100
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity (g/cc, 15 C)	No information available
Density @ 25 ° C. (g/cc):	2.186
Bulk Density @ 77° F. (lb/gal):	18.22
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	No information available
Autoignition temperature	No information available
Decomposition Temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: None known.

Materials to avoid: Strong oxidizing agents.

Hazardous decomposition products: None under normal use.

Hazardous Polymerization: Not applicable.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye Contact Irritating to eyes.

Skin Contact Irritating to skin. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (quartz) with particles >20 µm	= 500 mg/kg (Rat) Oral LD50 Rat 500 mg/kg (Source: IUCLID)	-	-
Diglycidyl Ether of Bisphenol A	= 11400 mg/kg (Rat) Oral LD50 Rat 11400 mg/kg (Source: NLM_CIP)	-	-
Oxirane,((2-methylphenoxy)methyl)-	= 4 g/kg (Rat) Oral LD50 Rat 4 g/kg (Source: NLM_CIP)	-	= 6090 mg/m ³ (Rat) 4 h Inhalation LC50 Rat 6090 mg/m ³ 4 h (Source: NLM_CIP)
Umber	-	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product

Components	IARC Carcinogens	NTP	OSHA - Select Carcinogens
Crystalline silica (quartz) with particles >20 µm	Group 1	Known Carcinogen	Present
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed
Oxirane,((2-methylphenoxy)methyl)-	Not listed	Not listed	Not listed
Umber	Not listed	Not listed	Not listed

Sensitization	Product contains a component that is classified as a skin sensitizer. No studies have been conducted on the product itself.
Mutagenic effects:	Product contains a component that is classified as a mutagen. No testing has been conducted on the product itself.
Reproductive Toxicity	Product contains a component that is classified as a reproductive hazard. No testing has been conducted on the product itself.
Developmental Toxicity	No information available.
Teratogenic	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	May cause disorder and damage to the, Skin, Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	No information available.

Additional information on toxicological effects

No information available

12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species Data:	Ecotoxicity - Freshwater Algae Data:	Ecotoxicity - Water Flea Data:
Crystalline silica (quartz) with particles >20 µm	No data	No data	No data
Diglycidyl Ether of Bisphenol A	No data	No data	No data
Oxirane,((2-methylphenoxy)methyl)-	No data	No data	No data
Umber	No data	No data	No data

83.25522% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

Bioaccumulation No information available.

Components	Octanol/water partition coefficient
Crystalline silica (quartz) with particles >20 µm	-
Diglycidyl Ether of Bisphenol A	-
Oxirane,((2-methylphenoxy)methyl)-	-
Umber	-

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products:	Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.
Contaminated packaging:	Do not re-use empty containers
Methods for cleaning up:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust) Sweep up and shovel into suitable containers for disposal

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

UN/NA ID Number:	UN3082
Proper shipping name:	Environmentally Hazardous substance, liquid, n.o.s. (Diglycidyl Ether of Bisphenol A)
Hazard class:	9
PG:	III
DOT ERG:	ERG 171
Additional DOT Information:	When in individual containers of less than 119 gallons, this material ships as non-regulated.

TDG (CANADA):

UN nr:	UN3082
Proper shipping name:	Environmentally Hazardous substance, liquid, n.o.s. (Diglycidyl Ether of Bisphenol A)
TDG Hazard Classification:	9
Packing group:	III

IMDG/IMO:

UN nr:	UN3082
Proper shipping name:	Environmentally Hazardous substance, liquid, n.o.s. (Diglycidyl Ether of Bisphenol A)
Class:	9
Packing group:	III
Limited quantity:	1.0 L

IATA/ICAO:

UN nr:	UN3082
Proper shipping name:	Environmentally Hazardous substance, liquid, n.o.s. (Diglycidyl Ether of Bisphenol A)
Hazard Class:	9
Packing group:	III
Maximum quantity for cargo only:	450 L
Maximum quantity for passenger:	450 L
Limited quantity:	30 kg

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication Standard: This product is considered to be hazardous under the OSHA Hazard Communication Standard.

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute): Yes
Delayed Health (Chronic): Yes
Flammability: No
Pressure: No
Reactivity: No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Crystalline silica (quartz) with particles >20 µm	Not listed	Not listed	Not listed
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed
Oxirane,((2-methylphenoxy)methyl)-	Not listed	Not listed	Not listed
Umber	Not listed	Not listed	1.0 %

Clean Air and Clean Water Acts:

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
Crystalline silica (quartz) with particles >20 µm	Not listed	Not listed	Not listed	Not listed
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed	Not listed
Oxirane,((2-methylphenoxy)methyl)-	Not listed	Not listed	Not listed	Not listed
Umber	Present	Not listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
Crystalline silica (quartz) with particles >20 µm	carcinogen	Present	Not Listed	1660	Carcinogen Extraordinarily hazardous
Diglycidyl Ether of Bisphenol A	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Oxirane,((2-methylphenoxy)methyl)-	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Umber	Not Listed	Environmental hazard	Not Listed	2324	Not Listed

California Proposition 65 Status: May contain trace amounts of listed chemicals: arsenic, cadmium, chromium, lead, nickel, cobalt.

RCRA Status: Not regulated

CANADIAN REGULATIONS:

Components	CEPA Schedule I	Challenge Substances
Crystalline silica (quartz) with particles >20 µm	Not listed	Listed
Diglycidyl Ether of Bisphenol A	Not listed	Not listed
Oxirane,((2-methylphenoxy)methyl)-	Not listed	Not listed
Umber	Not listed	Not listed

INVENTORY STATUS:

United States TSCA Inventory: This product complies with TSCA

Canada DSL/NDSL Inventory List Compliance has not been determined

16. OTHER INFORMATION

Sources of key data used to compile the data sheet: Material safety data sheets of the ingredients.

Prepared by: Safety, Health and Environmental Department

Revision Date: 04/21/2016

Reason for revision: Name change.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet