

SAFETY DATA SHEET

Print date: 04/22/2016 **Revision Date:** 04/20/2016 **Revision Number:** 1.01

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: SynDeck® Flex IMO Part A Resin SA1285 - Cadet Silver

Product code: SA1285-10-02

Other means of identification

Synonyms No information available

Application

Recommended Use Color Coating

Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:

EPMAR Corporation 13240 E. Barton Circle Whittier, CA 90605-3254 Phone: 562-946-8781

FAX: 562-944-9958

E-mail: she@quakerchem.com (For Health and Safety Questions) Emergency telephone number:

* 24 HOUR TRANSPORTATION: **CHEMTREC: 1-800-424-9300

+703-527-3887 (Call collect outside of US)
* 24 HOUR EMERGENCY HEALTH & SAFETY:

**(800) 523-7010 (Within US only) Outside of US call (703)

527-3887

2. HAZARDS IDENTIFICATION

Classification

SA1285-10-02 - SynDeck® Flex IMO Part A Resin SA1285 - Cadet Silver

1/13

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Respiratory Sensitization	Category 1A
Skin Sensitization	Category 1A
Carcinogenicity	Category 2
Chronic aquatic toxicity	Category 2

Label Elements

Emergency Overview

DANGER

Hazard Statements

Causes skin irritation

Causes serious eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

Suspected of causing cancer

Toxic to aquatic life with long lasting effects



Appearance Light gray

Physical State Liquid

Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

wear protective gloves

Avoid release to the environment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see First Aid on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or

SA1285-10-02 - SynDeck® Flex IMO Part A Resin SA1285 - Cadet Silver

2/13

rash occurs: Get medical advice/attention

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Collect spillage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

Toxic to aquatic life.

Unknown acute toxicity

1.1E-06% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No	Weight %
Diglycidyl Ether of Bisphenol A	25068-38-6	15 - 20%
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2	5 - 10%
Titanium dioxide	13463-67-7	5 - 10%
Polypropylene glycol	25322-69-4	1 - 5%
Zinc Compounds	Proprietary	1 - 5%
Polyether modified polymethylalkylsiloxane	PROPRIETARY	1 - 5%
2,4-diisocyanto-1-methylbenzene	584-84-9	<1%
4-Morpholinecarboxaldehyde	4394-85-8	<1%
Reaction Products of Epichlorohydrin and Bisphenol A	25085-99-8	<1%

The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance Remove contaminated

clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap

and water. Consult a physician.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

Skin contact: Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

Wash off immediately with soap and plenty of water.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person

Inhalation: Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give

oxygen If not breathing, give artificial respiration Consult a physician.

Note to physician: Treat symptomatically.

Medical condition

aggravated by exposure:

None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or `alcohol` foam.

Specific hazards: Do not allow material to contaminate ground water system.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear

Specific methods: Water mist may be used to cool closed containers

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Avoid contact with the skin and the eyes. Do not breathe

vapour/dust. Use personal protective equipment. Wash thoroughly after handling.

Avoid contact with skin, eyes and clothing.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical

Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:
Safe handling advice:

In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact

with skin and eyes. Do not breathe vapors or spray mist. Wear personal protective

equipment. Wash thoroughly after handling.

Storage

Technical measures/storage

conditions:

Store at room temperature in the original container.

Incompatible products: Strong oxidizing agents

SA1285-10-02 - SynDeck® Flex IMO Part A Resin SA1285 - Cadet Silver

4/13

Safe storage temperature: 60 - 100 ° F

Shelf life: 18 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	Components ACGIH Exposure Limits OSHA TWA (final)		NIOSH - Pocket Guide
Aluminium hydroxide	1 mg/m³ (TWA)	None	None
Inorganic Additive	10 mg/m ³	15 mg/m ³	None
Titanium dioxide	10 mg/m³ (TWA)	15 mg/m ³	None
Soda Lime Borosilicate Glass	1 fiber/cm3 (TWA)	None	None
	5 mg/m³ (TWA)		
2,4-diisocyanto-1-methylbenzene	0.005 ppm (TWA)	None	None
	0.02 ppm (STEL)		

Engineering measures: Ensure adequate ventilation

Personal Protective Equipment:

General: Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, a NIOSH-certified respirator with organic

vapor/P100 filter should be worn.

Eye protection: Safety glasses with side-shields

Hand protection: Neoprene gloves

Skin and body protection: Long sleeved clothing

Hygiene measures: Avoid contact with skin, eyes and clothing.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance Light gray

Odor Mild

Odor Threshold No information available

pH concentrate: No information available

pH Dilution No information available

SA1285-10-02 - SynDeck® Flex IMO Part A Resin SA1285 - Cadet Silver

Melting/freezing point

No information available

Boiling Point/Range No information available

Flash Point $> 93.33 \, ^{\circ}\text{C} \, / > 200 \, ^{\circ}\text{F}$

Method PMCC (Pensky-Martens Closed-Cup)

Evaporation rate No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

VOC Content Product (lb/gal) 0

VOC Content Product (g/L) 0

VOC less water and exempt (lb/gal) 0

VOC less water and exempt (g/L) 0

HAP Content Product (g/L):

HAP Content Product (lb/gal) 0

Solids (% w/w): 100

Solids (% v/v): 100

Vapor pressure No information available

Vapor density No information available

Specific Gravity (g/cc, 15 C) No information available

Density @ 25 ° C. (g/cc): 1.272

Bulk Density @ 77° F. (lb/gal): 10.6

Water Solubility Insoluble

Solubility in other solvents No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

Decomposition TemperatureNo information available

Kinematic viscosity

No information available

Dynamic viscosity 35,000 cP

Molecular Weight No information available

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: None known.

Materials to avoid: Strong oxidizing agents.

Hazardous decomposition products: None under normal use.

Hazardous Polymerization: Not applicable.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye Contact Irritating to eyes.

Skin Contact Irritating to skin. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diglycidyl Ether of Bisphenol A	= 11400 mg/kg (Rat)	-	-
	Oral LD50 Rat 11400		
	mg/kg (Source: NLM_CIP)		
Oxirane, mono[(C12-14-alkyloxy)methyl]	= 17100 mg/kg (Rat)	-	-
derivs.	Oral LD50 Rat 17100		
	mg/kg (Source: NLM_CIP)		
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
	Oral LD50 Rat >10000		
	mg/kg (Source: IUCLID)		
Polypropylene glycol	= 3750 mg/kg (Rat)	-	-
	Oral LD50 Rat 3750		
	mg/kg (Source: NLM_CIP)		
Zinc Compounds	-	-	-
Polyether modified polymethylalkylsiloxane	-	-	-
2,4-diisocyanto-1-methylbenzene	= 5800 mg/kg (Rat)	-	= 14 ppm (Rat) 4 h
	Oral LD50 Rat 5800		Inhalation LC50 Rat 14
	mg/kg (Source:		ppm 4 h (Source:
	JAPAN_GHS)		NLM_CIP)
4-Morpholinecarboxaldehyde	= 6500 µL/kg (Rat)	-	-
	Oral LD50 Rat 6500 µL/kg		

	(Source: NLM_CIP)		
Reaction Products of Epichlorohydrin and	-	-	-
Bisphenol A			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

This product contains titanium dioxide which is classified as a possible carcinogen Carcinogenicity when present as respirable dust. This is not relevant for this product since it is a liquid

Components	IARC Carcinogens	NTP	OSHA -
			Select Carcinogens
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed
Oxirane, mono[(C12-14-alkyloxy)methyl]	Not listed	Not listed	Not listed
derivs.			
Titanium dioxide	Group 2B	Not listed	Present
Polypropylene glycol	Not listed	Not listed	Not listed
Zinc Compounds	Not listed	Not listed	Not listed
Polyether modified polymethylalkylsiloxane	Not listed	Not listed	Not listed
2,4-diisocyanto-1-methylbenzene	Group 2B	Not listed	Present
4-Morpholinecarboxaldehyde	Not listed	Not listed	Not listed
Reaction Products of Epichlorohydrin and	Not listed	Not listed	Not listed
Bisphenol A			

Sensitization Product contains a component that is classified as a skin sensitizer. No studies have

been conducted on the product itself.

Mutagenic effects: No information available.

Reproductive Toxicity No information available.

Developmental Toxicity No information available.

Teratogenic No information available.

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic

toxicity (repeated exposure)

No information available.

No information available. Aspiration hazard

Additional information on toxicological effects

No information available

12. ECOLOGICAL INFORMATION

	Ecotoxicity - Water Flea	
Data: Algae Data: D	ata:	

Diglycidyl Ether of Bisphenol A	No data	No data	No data
Oxirane, mono[(C12-14-alkyloxy)methyl]	No data	No data	No data
derivs.			
Titanium dioxide	No data	No data	No data
Polypropylene glycol	No data	No data	No data
Zinc Compounds	No data	No data	No data
Polyether modified polymethylalkylsiloxane	No data	No data	No data
2,4-diisocyanto-1-methylbenzene	No data	No data	No data
4-Morpholinecarboxaldehyde	No data	No data	No data
Reaction Products of Epichlorohydrin and	No data	No data	No data
Bisphenol A			

69.51905% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability

No information available.

No information available.

Components	Octanol/water partition coefficient
Diglycidyl Ether of Bisphenol A	-
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	-
Titanium dioxide	-
Polypropylene glycol	-
Zinc Compounds	-
Polyether modified polymethylalkylsiloxane	-
2,4-diisocyanto-1-methylbenzene	-
4-Morpholinecarboxaldehyde	-
Reaction Products of Epichlorohydrin and Bisphenol A	-

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust) Sweep up and shovel into suitable containers for disposal

14. TRANSPORT INFORMATION

ш	S	DEPARTM	JENT	OF 1	RANSE	PORTATION	ŀ
U.	J.	DEFARIN		VI I	LANDE	UNIALIUN	4.

UN/NA ID Number: UN3082

Proper shipping name: Environmentally Hazardous substance, liquid, n.o.s.

(Diglycidyl Ether of Bisphenol A)

Hazard class: 9
PG: III

DOT ERG: ERG 171

Additional DOT Information: When in individual containers of less than 119 gallons, this

material ships as non-regulated.

TDG (CANADA):

UN nr: UN3082

Proper shipping name: Environmentally Hazardous substance, liquid, n.o.s.

(Diglycidyl Ether of Bisphenol A)

TDG Hazard Classification: 9
Packing group: III

IMDG/IMO:

UN nr: UN3082

Proper shipping name: Environmentally Hazardous substance, liquid, n.o.s.

(Diglycidyl Ether of Bisphenol A)

Class: 9
Packing group: III
Limited quantity: 1.0 L

IATA/ICAO:

UN nr: UN3082

Proper shipping name: Environmentally Hazardous substance, liquid, n.o.s.

(Diglycidyl Ether of Bisphenol A)

Hazard Class:9Packing group:IIIMaximum quantity for cargo only:450 LMaximum quantity for passenger:450 LLimited quantity:30 kg

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication

Standard:

This product is considered to be hazardous under the OSHA Hazard Communication

Standard.

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute):YesDelayed Health (Chronic):YesFlammability:NoPressure:NoReactivity:No

SA1285-10-02 - SynDeck® Flex IMO Part A Resin SA1285 - Cadet Silver

10 / 13

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Not listed	Not listed	Not listed
Titanium dioxide	Not listed	Not listed	Not listed
Polypropylene glycol	Not listed	Not listed	Not listed
Zinc Compounds	Not listed	Not listed	1%
Polyether modified polymethylalkylsiloxane	Not listed	Not listed	Not listed
2,4-diisocyanto-1-methylbenzene	100 lb	500 lb	0.1 % 1.0 %
4-Morpholinecarboxaldehyde	Not listed	Not listed	Not listed
Reaction Products of Epichlorohydrin and Bisphenol A	Not listed	Not listed	Not listed

CERCLA/SARA 313 Emission reporting:

2.8 % Zinc compounds (EPA ID E649699)

Clean Air and Clean Water Acts:

Components	Hazardous Air	CWA - Hazardous	CWA - Toxic	CWA - Priority
	Pollutants	Substances	Pollutants	Pollutants
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed	Not listed
Oxirane,	Not listed	Not listed	Not listed	Not listed
mono[(C12-14-alkyloxy)methyl]				
derivs.				
Titanium dioxide	Not listed	Not listed	Not listed	Not listed
Polypropylene glycol	Not listed	Not listed	Not listed	Not listed
Zinc Compounds	Not listed	Not listed	Not listed	Not listed
Polyether modified	Not listed	Not listed	Not listed	Not listed
polymethylalkylsiloxane				
2,4-diisocyanto-1-methylbenzene	Present	Not listed	Not listed	Not listed
4-Morpholinecarboxaldehyde	Not listed	Not listed	Not listed	Not listed
Reaction Products of	Not listed	Not listed	Not listed	Not listed
Epichlorohydrin and Bisphenol A				

U.S. STATE REGULATIONS (RTK):

Components	California	PARTK	MI Critical	NJRTK	MARTK
	Proposition 65		Materials		
Diglycidyl Ether of	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Bisphenol A					
Oxirane,	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
mono[(C12-14-alkyloxy)					
methyl] derivs.					
Titanium dioxide	carcinogen	Present	Not Listed	1861	Present
Polypropylene glycol	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Zinc Compounds	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Polyether modified	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
polymethylalkylsiloxane					
2,4-diisocyanto-1-methy	Not Listed	Environmental	Not Listed	1869 3757	Carcinogen
Ibenzene		hazard			Extraordinarily

		Special hazardous substance			hazardous
4-Morpholinecarboxalde hyde	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Reaction Products of Epichlorohydrin and Bisphenol A	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

California Proposition 65 Status: May contain trace amounts of listed chemicals: carbon black, ethyl acrylate.

RCRA Status: Not regulated

CANADIAN REGULATIONS:

Components	CEPA Schedule I	Challenge Substances	
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Not listed	Not listed	
Titanium dioxide	Not listed	Not listed	
Polypropylene glycol	Listed	Not listed	
Zinc Compounds	Not listed	Not listed	
Polyether modified polymethylalkylsiloxane	Not listed	Not listed	
2,4-diisocyanto-1-methylbenzene	Not listed	Listed	
4-Morpholinecarboxaldehyde	Not listed	Not listed	
Reaction Products of Epichlorohydrin and Bisphenol A	Not listed	Not listed	

INVENTORY STATUS:

United States TSCA Inventory: This product complies with TSCA

Canada DSL/NDSL Inventory List Compliance has not been determined

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients. **the data sheet:**

Prepared by: Safety, Health and Environmental Department

Revision Date: 04/20/2016 Reason for revision: Name change.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied

regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet