

SAFETY DATA SHEET

Print date: 04/21/2016 **Revision Date:** 04/21/2016 **Revision Number:** 1.01

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: SynDeck® Grout Sealer Part A Resin SA1255

Product code: SA1255

Other means of identification

Synonyms No information available

Application

Recommended Use Adhesives and/or Sealants
Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:

EPMAR Corporation 13240 E. Barton Circle Whittier, CA 90605-3254 Phone: 562-946-8781

FAX: 562-944-9958

E-mail: she@quakerchem.com (For Health and Safety Questions) Emergency telephone number:

* 24 HOUR TRANSPORTATION: **CHEMTREC: 1-800-424-9300

+703-527-3887 (Call collect outside of US)
* 24 HOUR EMERGENCY HEALTH & SAFETY:

**(800) 523-7010 (Within US only) Outside of US call (703)

527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

SA1255 - SynDeck® Grout Sealer Part A Resin SA1255

1/10

Revision Date: 04/21/2016

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1
Chronic aquatic toxicity	Category 2

Label Elements

Emergency Overview

WARNING

Hazard Statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Toxic to aquatic life with long lasting effects



Appearance Opaque white

Physical State Liquid

Odor Mild

Revision Date: 04/21/2016

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Avoid release to the environment

Precautionary Statements - Response

Specific treatment (see First Aid on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention
Collect spillage

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

May be harmful in contact with skin.

Unknown acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No	Weight %
Diglycidyl Ether of Bisphenol A	25068-38-6	80 - 90%

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance Remove contaminated

clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap

and water. If symptoms persist, call a physician

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

Skin contact: Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

Wash off immediately with soap and plenty of water.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person

Inhalation: Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

artificial respiration If breathing is difficult, give oxygen Consult a physician.

Note to physician: Treat symptomatically.

Medical condition

aggravated by exposure:

Dermatitis.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use water spray (fog), foam, dry chemical or CO2.

Specific hazards: Do not allow material to contaminate ground water system.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear

Specific methods: Water mist may be used to cool closed containers

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Do not breathe vapour/dust. Wash thoroughly after handling.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so.

Methods for cleaning up:

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical

Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:

Safe handling advice: Do not breathe vapors or spray mist. In case of insufficient ventilation, wear suitable

respiratory equipment. Wear personal protective equipment. Avoid contact with skin

and eyes. Wash thoroughly after handling.

Storage

Technical measures/storage

conditions:

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat

and sources of ignition.

Incompatible products: Bases, strong acids and oxidizing agents. Uncontrolled contact with curing chemical.

Do not allow molten product to contact water or other liquids. This can cause violent

eruptions, splatter hot material, or ignite flammable material.

Safe storage temperature: 50 - 100 °F

Shelf life: 2 years

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Aluminium hydroxide	1 mg/m³ (TWA)	None	None
Silica, amorphous, fumed, crystfree	10	None	None

Engineering measures: Ensure adequate ventilation

Personal Protective Equipment:

General: Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, a NIOSH-certified respirator with organic

vapor/P100 filter should be worn.

Eye protection: Safety glasses with side-shields

Hand protection: Impervious butyl rubber gloves, Neoprene gloves

Skin and body protection: Chemical resistant apron, Long sleeved clothing



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance Opaque white

Odor Mild

Odor Threshold No information available

pH concentrate: No information available

pH DilutionNo information available

Melting/freezing point

No information available

Boiling Point/Range No information available

Flash Point $> 110 \, ^{\circ}\text{C} \, / > 230 \, ^{\circ}\text{F}$

Method Seta closed cup

Evaporation rateNo information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

VOC Content Product (lb/gal) No information available

Vapor pressure No information available

Vapor density No information available

Specific Gravity (g/cc, 15 C) 1.23

Bulk Density (lb/gal, 15 C) 10.265

Water Solubility Insoluble

Solubility in other solvents No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

Decomposition TemperatureNo information available

Kinematic viscosity

No information available

Dynamic viscosity

No information available

Molecular Weight No information available

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: High temperatures.

Materials to avoid: Strong acids and oxidising agents. Strong bases. Do not allow molten product to

contact water or other liquids, as this can cause violent eruptions, splatter hot

material or ignite flammable material.

Hazardous decomposition products: Carbon oxides. Phosgene. HCl, Cl2.

Hazardous Polymerization: Stable at normal conditions.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye Contact Irritating to eyes.

Skin Contact Irritating to skin.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diglycidyl Ether of Bisphenol A	= 11400 mg/kg (Rat)	-	-
	Oral LD50 Rat 11400		
	mg/kg (Source: NLM_CIP)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a

carcinogen

Components	IARC Carcinogens	NTP	OSHA - Select Carcinogens
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed

Sensitization No information available.

Mutagenic effects: No information available.

Reproductive Toxicity No information available.

Developmental ToxicityNo information available.

Teratogenic No information available.

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic toxicity (repeated exposure)

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

Additional information on toxicological effects

No information available

12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species	Ecotoxicity - Freshwater	Ecotoxicity - Water Flea
	Data:	Algae Data:	Data:
Diglycidyl Ether of Bisphenol A	No data	No data	No data

10.005% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

Bioaccumulation No information available.

Components	Octanol/water partition coefficient
Diglycidyl Ether of Bisphenol A	-

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused

products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a

permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust) Sweep up and shovel into suitable containers for disposal

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

.

UN/NA ID Number: UN3082

Proper shipping name: Environmentally Hazardous substance, liquid, n.o.s.

(Epichlorohydrin-bisphenol A resin)

Hazard class: 9
PG: III

DOT ERG: ERG 171

Additional DOT Information: When in individual containers of less than 119 gallons, this

material ships as non-regulated.

TDG (CANADA):

UN nr: UN3082

Proper shipping name: Environmentally Hazardous substance, liquid, n.o.s.

(Epichlorohydrin-bisphenol A resin)

TDG Hazard Classification: 9
Packing group: III

IMDG/IMO:

UN nr: UN3082

Proper shipping name: Environmentally Hazardous substance, liquid, n.o.s.

(Epichlorohydrin-bisphenol A resin)

Class: 9
Packing group: III
Limited quantity: 1.0 L

IATA/ICAO:

UN nr: UN3082

Proper shipping name: Environmentally Hazardous substance, liquid, n.o.s.

(Epichlorohydrin-bisphenol A resin)

Hazard Class:9Packing group:IIIMaximum quantity for cargo only:450 LMaximum quantity for passenger:450 LLimited quantity:30 kg

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication

Standard:

This product is considered to be hazardous under the OSHA Hazard Communication

Standard.

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute):YesDelayed Health (Chronic):YesFlammability:NoPressure:NoReactivity:No

.....

	Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Ī	Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed

Clean Air and Clean Water Acts:

Components	Hazardous Air	CWA - Hazardous	CWA - Toxic	CWA - Priority
	Pollutants	Substances	Pollutants	Pollutants
Diglycidyl Ether of Bisphenol A	Not listed	Not listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

	Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
Ī	Diglycidyl Ether of Bisphenol A	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

California Proposition 65 Status: May contain trace amounts of listed chemicals: phenyl glycidly ether, ethyl acrylate.

RCRA Status: Not regulated

CANADIAN REGULATIONS:

Components	CEPA Schedule I	Challenge Substances
Diglycidyl Ether of Bisphenol A	Not listed	Not listed

INVENTORY STATUS:

United States TSCA Inventory: This product complies with TSCA

Canada DSL/NDSL Inventory List This product complies with DSL

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients. **the data sheet:**

Prepared by: Safety, Health and Environmental Department

Revision Date: 04/21/2016 **Reason for revision:** Name change.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the

product. The company referenced in this Safet consequential, resulting from the use of this prosuch company.	y Data Sheet assumes r oduct unless such injury	no liability for any injury v or damage is attributal	or damage, direct or ble to the gross negligence of
	End of Safety Data Sh	eet	
SA1255 - SynDeck® Grout Sealer Part A Resin SA1255	10 / 10		Revision Date: 04/21/2016